

AD-A137 769

AN EXTENSION OF THE TWO-PARAMETER LOGISTIC MODEL TO THE 1/1
MULTIDIMENSIONAL (U) AMERICAN COLL TESTING PROGRAM
IOWA CITY IA RESIDENT PROGRAMS D. R L MCKINLEY ET AL.

UNCLASSIFIED

AUG 83 RR-83-2-ONR N00014-81-K-0817

F/G 12/1


NL

END

FORMED

3

DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

An Extension of the Two-Parameter Logistic Model to the Multidimensional Latent Space

Robert L. McKinley
and
Mark D. Reckase

Research Report ONR83-2
August 1983

ACT

The American College Testing Program
^ Resident Programs Department
Iowa City, Iowa 52243

DTIC
ELECTE
S FEB 13 1984 **D**
E

Prepared under Contract No. N00014-81-K0817
with the Personnel and Training Research Programs
Psychological Sciences Division
Office of Naval Research

Approved for public release, distribution unlimited.
Reproduction in whole or in part is permitted for
any purpose of the United States Government.

DTIC FILE COPY

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ONR83-2	2. GOVT ACCESSION NO. AD-A137769	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) An Extension of the Two-Parameter Logistic Model to the Multidimensional Latent Space.		5. TYPE OF REPORT & PERIOD COVERED Technical Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Robert L. McKinley and Mark D. Reckase		8. CONTRACT OR GRANT NUMBER(s) N00014-81-K0817
9. PERFORMING ORGANIZATION NAME AND ADDRESS The American College Testing Program P.O. Box 168 Iowa City, IA 52243		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS P.E.: 61153N Proj.: RR042-04 T.A.: 042-04-01 W.V.: NR150-474
11. CONTROLLING OFFICE NAME AND ADDRESS Personnel and Training Research Programs Office of Naval Research Arlington, VA 22217		12. REPORT DATE August 1983
		13. NUMBER OF PAGES 18
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		16. SECURITY CLASS. (of this report) unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release, distribution unlimited. Reproduction in whole or part is permitted for any purpose of the United States government.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Latent trait models Multidimensional latent trait models Multidimensional two-parameter logistic model Estimation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A multidimensional extension of the two-parameter logistic latent trait model is presented and some of its characteristics are discussed. In addition, sufficient statistics for the parameters of the model are derived, as is the information function. Finally, the estimation of the parameters of the model using the maximum likelihood estimation technique is also discussed.		

CONTENTS

	Page
Introduction	1
The Model and Its Characteristics.	1
The Model.	1
Interpretation of the Model Parameters.	2
Sufficient Statistics	5
Definition.. . . .	5
Sufficient Statistic for the Ability Parameter	6
Sufficient Statistics for the Item Parameters.	6
Information Function.	6
Definition	6
Information Functions for the M2PL Model	8
Maximum Likelihood Estimation.	9
Discussion	13
Directional Derivatives	13
Interpretation of the Model Parameters.	14
Sufficient Statistics	16
Information Function.	17
Maximum Likelihood Estimation	17
Summary.	17
References	19

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



An Extension of the Two-Parameter Logistic Model to the Multidimensional Latent Space

Item response theory (IRT) has proven to be a very powerful and useful measurement tool. However, most of the IRT models that have been proposed, and all of the models commonly used, require the assumption of unidimensionality, which prevents their application to a wide range of tests. The few models that have been proposed for use with multidimensional data have not been developed to the point that they can be applied in actual testing situations. The purpose of this report is to present a model for use with multidimensional data and to discuss some of its characteristics. This discussion will include information on the interpretation of the model parameters, the sufficient statistics for the model parameters, and the information function for the model. In addition, a procedure for estimating the parameters of the model will be discussed.

The Model and Its Characteristics

The Model

The model proposed in this report is a multidimensional extension of the two-parameter logistic model. The two-parameter logistic (2PL) model, proposed by Birnbaum (1968), is given by

$$P_i(\theta_j) = \frac{\exp(Da_i(\theta_j - b_i))}{1 + \exp(Da_i(\theta_j - b_i))}, \quad (1)$$

where a_i is the discrimination parameter for item i , b_i is the difficulty parameter for item i , θ_j is the ability parameter for examinee j , $P_i(\theta_j)$ is the probability of a correct response to item i by examinee j , and $D = 1.7$. The multidimensional extension of the 2PL model (M2PL), as presented by McKinley and Reckase (1982), is given by

$$P_i(\underline{\theta}_j) = \frac{\exp(d_i + \underline{a}_i \underline{\theta}_j)}{1 + \exp(d_i + \underline{a}_i \underline{\theta}_j)}, \quad (2)$$

where \underline{a}_i is a row vector of discrimination parameters for item i , $\underline{\theta}_j$ is a column vector of ability parameters for examinee j , $P_i(\underline{\theta}_j)$ is the probability of a correct response to item i by examinee j , and d_i is given by

$$d_i = -\sum_{k=1}^m a_{ik} b_{ik}, \quad (3)$$

where a_{ik} is the discrimination parameter for item i on dimension k , b_{ik} is the difficulty parameter for item i on dimension k , and m is the number of dimensions being modeled. The d_i term, then, is related to item difficulty,

but is not a difficulty parameter in the same sense as the b_i parameter is in the unidimensional model.


Interpretation of the Model Parameters

The interpretation of the parameters of unidimensional IRT models is closely tied to the item characteristic curve (the regression of item score on ability). The item difficulty parameter is defined as the point on the ability scale where the point of inflection of the item characteristic curve (ICC) occurs. This is equivalent to saying the item difficulty value is the point on the ability scale where the second derivative of the ICC function is equal to zero. For the 2PL model, the second derivative is given by

$$\frac{\delta^2 P}{\delta \theta_j^2} = D^2 a_i^2 P Q (1 - 2P), \quad (4)$$

where P is the probability of a correct response to item i given ability j , $Q = 1 - P$, and a_i and D are as previously defined. Setting the right hand side of (4) equal to zero yields a solution of $P = Q = 0.5$. Of course, $P = 1.0$ and $P = 0.0$ are also solutions, but these represent degenerate cases where $\theta = +\infty$ and $\theta = -\infty$, respectively. Thus, the point of inflection occurs at $P = 0.5$, which occurs where $b_i = \theta_j$. The difficulty of an item for the 2PL model, then, is the point on the ability scale which yields a probability of a correct response equal to 0.5. Figure 1 shows a typical ICC for the 2PL model. The dotted line shows the relationship among the item difficulty value, ability, and the probability of a correct response.

Figure 1



The item discrimination parameter is related to the slope of the ICC at the point of inflection. The slope of the ICC at the point of inflection is found by taking the first derivative of the ICC and evaluating it at the point of inflection. For the 2PL model the first derivative is given by

$$\frac{\delta P}{\delta \theta_j} = Da_1 PQ, \quad (5)$$

where all the terms are as previously defined. It was previously found that the point of inflection for the 2PL model occurs where $P = 0.5$. Substituting 0.5 into (5) yields a slope at the point of inflection of $Da_1/4$.

Difficulty and discrimination are defined somewhat differently for multidimensional models. To begin with, the response function (the model) defines a multidimensional item response surface (IRS) rather than a curve. This surface may have many points of inflection, and the points of inflection may vary depending on the direction relative to the θ -axes. Because of this, the item parameters for the M2PL model are defined in terms of directional derivatives (Kaplan, 1952).

For multidimensional models, difficulty is defined as the locus of points of inflection of the IRS for a particular direction. This is found by taking the second directional derivative of the response function, setting it equal to zero, and solving for the θ -vector. The second directional derivative for the M2PL model is given by

$$\begin{aligned} \nabla_{\phi}^2 P = & \frac{\delta^2 P}{\delta \theta_1^2} \cos^2 \phi_1 + \frac{\delta^2 P}{\delta \theta_1 \delta \theta_2} \cos \phi_1 \cos \phi_2 + \dots + \frac{\delta^2 P}{\delta \theta_1 \delta \theta_m} \cos \phi_1 \cos \phi_m \\ & + \frac{\delta^2 P}{\delta \theta_2 \delta \theta_1} \cos \phi_2 \cos \phi_1 + \dots + \frac{\delta^2 P}{\delta \theta_2 \delta \theta_m} \cos \phi_2 \cos \phi_m \\ & \vdots \\ & + \frac{\delta^2 P}{\delta \theta_m^2} \cos^2 \phi_m, \end{aligned} \quad (6)$$

where ϕ represents the vector of angles with respect to each of the m axes. Solving the derivatives in (6) and simplifying yields

$$\nabla_{\phi}^2 P = PQ(1 - 2P) (a_1 \cos \phi_1 + a_2 \cos \phi_2 + \dots + a_m \cos \phi_m)^2. \quad (7)$$

Setting (7) equal to zero and solving yields three solutions-- $P = 0.0$, $P = 0.5$, and $P = 1.0$. The solutions 0.0 and 1.0 represent degenerate cases where $\theta = \pm\infty$. $P = 0.5$ occurs when the exponent of the M2PL model is zero. That is $P = 0.5$ when

$$d + a_1\theta_1 + a_2\theta_2 + \dots + a_m\theta_m = 0. \quad (8)$$


In the two-dimensional case this is the equation for a line.

For the M2PL model, as can be seen from the above derivations, the direction, ϕ , falls out of the equations. Item difficulty for the M2PL model is the same for all directions of travel. This is not necessarily the case for all multidimensional models.

Figure 2 shows a typical response surface for the M2PL model in the two-dimensional case. The dotted line indicates the line of difficulty. In the m -dimensional case (8) is the equation for a hyperplane.

Figure 2

A Typical Response Surface for the M2PL Model



For multidimensional models, item discrimination is a function of the slope of the IRS at the locus of points of inflection in a particular direction. This is obtained by taking the first directional derivative of the response function and evaluating it at the locus of points of inflection. For the M2PL model the first directional derivative is given by

$$\nabla_{\underline{\phi}} P = \frac{\delta P}{\delta \theta_1} \cos \phi_1 + \frac{\delta P}{\delta \theta_2} \cos \phi_2 + \dots + \frac{\delta P}{\delta \theta_m} \cos \phi_m, \quad (9)$$

where $\underline{\phi}$ represents the vector of angles of the direction in the θ -space with respect to each of the m axes. For the two-dimensional case (9) is given by

$$\nabla_{\underline{\phi}} P = a_1 PQ \cos \phi + a_2 PQ \sin \phi. \quad (10)$$

where ϕ is the angle with the θ_1 axis. When $\phi = 0^\circ$ (direction parallel to θ_1 axis) the slope is $a_1 PQ$, and when $\phi = 90^\circ$ (parallel to θ_2 axis) the slope is $a_2 PQ$. In general, when the direction is parallel to the θ_m axis, the slope is $a_m PQ$. Since $P = Q = 0.5$ at the line of inflection, the slope parallel to the θ_m axis at those points is $a_m/4$. In the unidimensional case $\phi = 0^\circ$, and the slope of the ICC at the point of inflection is $Da/4$.

Sufficient Statistics

Definition Assume that there exists some distribution that is of known form except for some unknown parameter θ , and that \underline{x} represents a set of observations from that distribution. Also assume that $S(\underline{x})$ is some statistic which is a function of \underline{x} . If $S(\underline{x})$ is a sufficient statistic for θ , then it must be possible to factor the probability function of \underline{x} , $P(\underline{x}|\theta)$ into the form:

$$P(\underline{x}|\theta) = f[S(\underline{x})|\theta]g(\underline{x}). \quad (11)$$

In this form it is easy to see that $g(\underline{x})$ is independent of θ , and so provides no information about θ . Selection of θ to maximize the probability of \underline{x} is tantamount to selecting θ to maximize the probability of $S(\underline{x})$.

In item response theory \underline{x} is typically a response string, either by one examinee to a set of items or by a set of examinees to a single item. In this case, $P(\underline{x}|\theta)$ is the likelihood of the response string. For the M2PL model, the likelihood of an examinee's response string is given by

$$P(\underline{x}_j|\theta_j) = \prod_{i=1}^n P(x_{ij}|\theta_j) \quad (12)$$

where x_{ij} is the response to item i by examinee j , θ_j is the vector of abilities for examinee j , \underline{x}_j is the response string for examinee j , and n is the number of items. The likelihood of the set of responses to an item is given by:

$$P(\underline{x}_i | d_i, \underline{a}_i) = \prod_{j=1}^N P(x_{ij} | d_i, \underline{a}_i), \quad (13)$$

where $P(x_{ij} | d_i, \underline{a}_i)$ is the probability of response x_{ij} for item i , d_i and \underline{a}_i are the item parameters for item i , \underline{x}_i is the vector of responses to item i , and N is the number of examinees. In order for any statistic to be a sufficient statistic for a parameter of the M2PL model, it must be possible to factor the appropriate likelihood function into the form given by (11).

Sufficient Statistic for the Ability Parameter For the M2PL model (12) can be factored into the form:

$$P(\underline{x}_j | \theta_j) = \prod_{i=1}^n Q_i(\theta_j) \exp(\theta_j \sum_{i=1}^n \underline{a}_i x_{ij}) \exp(\sum_{i=1}^n d_i x_{ij}). \quad (14)$$

From (14) it can be seen that

$$\underline{s}(\underline{x}_j) = \sum_{i=1}^n \underline{a}_i x_{ij} \quad (15)$$

is a vector of sufficient statistics for θ_j . (For a discussion of the derivation of the sufficient statistic for ability in the unidimensional case, see Lord and Novick, 1968, chapter 18).

Sufficient Statistics for the Item Parameters For the item parameters of the M2PL model, (13) can be factored into the form:

$$P(\underline{x}_i | d_i, \underline{a}_i) = \prod_{j=1}^N Q_j(d_i, \underline{a}_i) \exp(\underline{a}_i \sum_{j=1}^N \theta_j x_{ij}) \exp(d_i \sum_{j=1}^N x_{ij}). \quad (16)$$

From (16) it can be seen that

$$s_d(\underline{x}_i) = \sum_{j=1}^N x_{ij} \quad (17)$$

is a sufficient statistic for the d -parameter, and

$$\underline{s}_a(\underline{x}_i) = \sum_{j=1}^N \theta_j x_{ij} \quad (18)$$

is a vector of sufficient statistics for the a -parameter.

Information Function

Definition In item response theory the precision of estimates based on a given scoring formula are generally described in terms of the information function of the scoring formula. The information function of a particular

scoring formula, as given by Lord and Novick (1968), is given by

$$I[\theta, s(x)] = \frac{1}{\sigma^2[s(X), \theta]} \left\{ \frac{\delta}{\delta \theta} E[s(X) | \theta] \right\}^2, \quad (19)$$

where $s(x)$ represents a given scoring formula for the model of interest, $\sigma^2[s(X), \theta]$ is the variance of the scoring formula, and the derivative $\partial E[s(X) | \theta] / \partial \theta$ specifies how the mean of the scoring formula changes as θ changes.

If $s(x)$ takes the form

$$s(x) = \sum_{i=1}^n w_i x_i, \quad (20)$$

where w_i is a positive number, then the expected value $E[s(X) | \theta]$ is given by

$$E[s(X) | \theta] = \sum_{i=1}^n w_i P_i(\theta), \quad (21)$$

and the variance of the scoring formula is given by

$$\sigma^2[s(X), \theta] = \sum_{i=1}^n w_i^2 P_i(\theta) Q_i(\theta). \quad (22)$$

(For a discussion of these derivations, see Lord and Novick, 1968). Substituting (21) and (22) into (19) yields

$$I[\theta, s(x)] = \left[\sum_{i=1}^n w_i^2 P_i(\theta) Q_i(\theta) \right]^{-1} \left[\sum_{i=1}^n w_i P_i'(\theta) \right]^2, \quad (23)$$

where $P_i'(\theta) = \partial P_i(\theta) / \partial \theta$. For a single item (23) takes the form

$$I[\theta, s(x)] = P_i'(\theta)^2 / P_i(\theta) Q_i(\theta), \quad (24)$$

which is the item information function. If (24) is written in terms of the response x_i , rather than the scoring formula $s(x)$, the same result is obtained. That is, $I(\theta, x_i) = I[\theta, s(x_i)]$. Lord and Novick (1968) have shown that, unless $s(x)$ represents the locally best weights at θ , $I[\theta, s(x)] < \sum I(\theta, x_i)$. That is, the sum of the item information functions, which is independent of the the scoring formula, represents an upper bound on each and all information functions obtained using different scoring formulas. The sum of the item information functions is called the test information function, and is given by

$$I(\theta) = \sum_{i=1}^n I(\theta, x_i) = \sum_{i=1}^n P'(\theta)^2 / P_i(\theta) Q_i(\theta). \quad (25)$$

Information Functions for the M2PL Model For the unidimensional 2PL model, given by (1), the item information function is given by

$$I(\theta, x_i) = D^2 a_i^2 P_i(\theta) Q_i(\theta). \quad (26)$$

Test information for the unidimensional 2PL model is given by

$$I(\theta) = \sum_{i=1}^n D^2 a_i^2 P_i(\theta) Q_i(\theta). \quad (27)$$

As was the case for discrimination, information for the M2PL model varies depending on the direction relative to the θ -axes. Therefore, item and test information for the M2PL model are defined using the first directional derivative of the response function, which is given by (9). Item information for the M2PL model is given by

$$\begin{aligned} I(\theta, x_i) = & a_1^2 PQ \cos^2 \phi_1 + a_2^2 PQ \cos^2 \phi_2 + \dots + a_m^2 PQ \cos^2 \phi_m + \\ & 2a_1 a_2 PQ \cos \phi_1 \cos \phi_2 + \dots + 2a_1 a_m PQ \cos \phi_1 \cos \phi_m + \\ & \cdot \\ & \cdot \\ & \cdot \\ & 2a_{(m-1)} a_m PQ \cos \phi_{(m-1)} \cos \phi_m. \end{aligned} \quad (28)$$

For the two dimensional case, this simplifies to

$$I(\theta, x_i) = PQ(a_1 \cos \phi + a_2 \sin \phi)^2. \quad (29)$$

Note that when the direction of travel is parallel to the θ -axis ($\phi = 0^\circ$), item information is given by $a_1^2 PQ$. When only θ_2 is of interest ($\phi = 90^\circ$), item information is given by $a_2^2 PQ$. If the two dimensions are weighted equally ($\phi = 45^\circ$), item information is given by $0.5(a_1^2 PQ + 2a_1 a_2 PQ + a_2^2 PQ)$. Figures 3, 4, and 5 show typical item information surfaces for $\phi = 0^\circ$, 45° , and 90° respectively. Note that these are not the same surface seen from different angles. They are different surfaces, all for the same item, obtained by varying the direction with respect to the θ -axes. As can be seen, they are quite different. Test information for the M2PL model is simply the sum of (29) over all of the items. Figures 6, 7, and 8 show typical test information surfaces for $\phi = 0^\circ$, 45° , and 90° , respectively. Again, the three surfaces are quite different, indicating that the test gives different amounts of information that are concentrated at different places in the θ -space when different weighted composites of ability are of interest.

Maximum Likelihood Estimation

Maximum likelihood estimation of the parameters of the M2PL model is relatively straightforward. The likelihood of a response matrix for the M2PL model (or for any latent trait model) is given by

$$L = \prod_{i=1}^n \prod_{j=1}^N P(x_{ij}) \quad (30)$$

where all the terms have been previously defined. For an examinee's response string, the likelihood is given by (12), and the likelihood of a response string for an item is given by (13). The first derivative of the \log_e of the likelihood given in (12) is given by:

$$\frac{\delta \log_e L_j}{\delta \theta_j} = \sum_{i=1}^n \frac{a_i}{\theta_j} x_{ij} - \sum_{i=1}^n \frac{a_i}{\theta_j} P_{ij}, \quad (31)$$

and the first derivative of the \log_e of the likelihood given in (13) is given by

$$\frac{\delta \log_e L_i}{\delta d_i} = \sum_{j=1}^N x_{ij} \quad (32)$$

for the difficulty parameter, and

$$\frac{\delta \log_e L_i}{\delta a_i} = \sum_{j=1}^N \frac{\theta_j}{a_i} x_{ij} - \sum_{j=1}^N \frac{\theta_j}{a_i} P_{ij} \quad (33)$$

for the discrimination parameter.

The estimation of ability using maximum likelihood techniques simply involves setting (31) equal to zero and solving for θ_j . Of course, since this involves solving simultaneous nonlinear equations, some type of iterative procedure is generally required. The estimation of item parameters involves setting (32) and (33) equal to zero and solving for d_i and a_i ,

Figure 3




Figure 4




Figure 5

An Item Information Surface




Figure 6

A Test Information Surface




Figure 7

A Test Information Surface

$$\phi = 45^\circ$$





Figure 8

A Test Information Surface

$$\phi = 90^\circ$$



respectively. Again, the solution of simultaneous nonlinear equations requires an iterative procedure. McKinley and Reckase (1983) describe a procedure for the simultaneous estimation of the item and person parameters of the M2PL model using a Newton-Raphson procedure for solving the simultaneous nonlinear equations. A computer program is available.

Discussion

Although IRT has gained popularity over the last few years, applications of IRT models have been limited to tests for which the assumption of unidimensionality is at least defensible. There have been a few IRT models proposed for use with multidimensional data (see McKinley and Reckase, 1982, for a summary), but there have been few successful attempts at their application. Use of these models has been limited due to the absence of practical algorithms for parameter estimation, and, at least in part, because the models are not well understood.

McKinley and Reckase (1982) have proposed a model, the M2PL model, for use with multidimensional data, and they have developed a program for the estimation of the parameters of the model (McKinley and Reckase, 1983). The purpose of this report is to provide information necessary for the understanding and use of the M2PL model.

Many of the characteristics of the M2PL model are not straightforward extensions from the unidimensional case. Rather, the unidimensional case is a special case of the multidimensional model in which much of the richness and complexity of the model is not evident. Because of this, some of the characteristics of the model described in this report may be somewhat difficult to grasp. In order to aid in the understanding of these characteristics, they will now be discussed in some depth. An attempt will be made in each case to describe how the information provided relates to real-world applications. The discussion will begin with the interpretation of the model parameters, and will include the sufficient statistics, information functions, and parameter estimation. Before beginning the discussion of the characteristics of the M2PL model, however, a brief discussion of directional derivatives will be presented, since directional derivatives are so important to the understanding of multidimensional IRT models.

Directional Derivatives

One of the most interesting and complex aspects of the multidimensional IRT models which is lost when the unidimensional case is discussed is the notion of directional derivatives. In the unidimensional case the only direction ever discussed is parallel to the θ -axis ($\phi = 0^\circ$), in which case all the trigonometric terms so evident in the material presented above are absent--they always equal 1.0 or 0.0 and therefore drop out of the equations.

Directional derivatives are necessary in the multidimensional case because the derivatives of the response function vary depending on the direction taken relative to the θ -axes. The first derivative of a function gives the slope of the function at any given point. The second derivative gives the rate at which the slope is changing at a particular point. The point of maximum slope is where the slope stops increasing and starts decreasing. At the point where that change occurs, the change in slope

crosses from being positive (increasing) to negative (decreasing). Thus, at that point the change in slope is neither positive nor negative, but rather is zero. Since the second derivative gives the rate of change of slope, the point of maximum slope is where the second derivative is zero. In the unidimensional case, this has a straightforward application in determining item difficulty and discrimination, as illustrated in Figure 1. The point where the dotted line crosses the ICC is the point of maximum slope and minimum (zero) change in slope.

In Figure 2, it can easily be seen that there is no one point on the surface where the slope is at a maximum. Moreover, for any one point, the slope varies depending on the direction. Consider the point on the surface where $\theta_1 = 0.0$ and $\theta_2 = -2.5$. This point is indicated on the surface by an x. Moving along the $\theta_2 = -2.5$ line parallel to the θ_1 axis, the surface is rising fairly rapidly at the point indicated. However, moving along the $\theta_1 = 0$ line parallel to the θ_2 -axis, the surface is still relatively flat and is rising slowly. Clearly the slope of the surface is different depending on the direction of travel. The same is true of the change in slope. Because of this, when taking derivatives of a multidimensional response function, it is necessary to consider the direction. Directional derivatives are a way of doing this. The actual interpretation of the derivatives in different directions will be addressed in the next section, since it is closely related to the interpretation of the model parameters.

Interpretation of the Model

A straightforward extension of item difficulty from the unidimensional to the multidimensional case would seem to lead to the conclusion that difficulty in the multidimensional case ought to be a vector of b-parameters, with one b for each dimension. In Figure 1 the b-parameter is the point on the θ -scale below the point of inflection. It represents the point on the θ -scale where the item best discriminates between high and low ability. At the point represented by the b-parameter, a very small change in ability corresponds to a large change in the probability of a correct response. Nowhere on the θ -scale does an equal change in ability result in as large a change in the probability of a correct response. Thus, in the unidimensional case, the item difficulty parameter indicates the point on the ability scale at which the item does the best job of discriminating between different levels of ability.

On the surface, it seems logical to conclude that if there are two dimensions, there should be two b-parameters. One b-parameter should indicate the point of maximum discrimination on one dimension, while the other b-parameters indicate the point of maximum discrimination on the other dimension. Figure 2, however, clearly illustrates that this is inadequate.

As can be seen in Figure 2, the two ability dimensions do not act independently. It is the combination of ability on the two dimensions which determines the probability of a correct response. An examinee with $\theta_2 = 2.0$ clearly has a higher ability on that dimension than an examinee with $\theta_2 = -2.0$. However, if the second examinee has $\theta_1 = 3.0$, while the first examinee has $\theta_1 = -3.0$, the second examinee has a much higher probability of a correct response to the item described by the IRS. Clearly, then, considering the two dimensions separately does not contribute greatly

to discriminating between examinees who have different probabilities of a correct response. This is reflected in the fact that the item difficulty for Figure 2 is a line which is not parallel to either axis.

This has important implications for test construction and analysis using the M2PL model. It is common practice, for instance, to order items on a test by difficulty, or to construct a test having a specified distribution of item difficulty. In the unidimensional case this is done using the b-parameter. Clearly in the multidimensional case it is more complicated. An item having a smaller d-parameter than a second item is only uniformly more difficult than the second item if their difficulty functions are parallel. If the difficulty functions intersect, then item 1 is more difficult than item 2 in some regions of the θ -plane, while item 2 is more difficult in other regions.

This would seem to indicate that it is only reasonable, in the multidimensional case, to talk about ordering items on difficulty or obtaining a specified distribution of difficulty if all the items to be considered have parallel lines of difficulty. Of course, in the m-dimensional case the items would all have to have parallel (m-1)-dimensional hyperplanes.

In order to determine whether two items have parallel lines of difficulty in the two-dimensional case, first determine the form of the difficulty line. The equation for the line of difficulty is given by (8). The two lines are parallel only if the slopes of the lines are equal. Putting (8) into a slope-intercept form yields

$$\theta_{j2} = -\frac{a_{i1}}{a_{i2}} \theta_{j1} + \frac{d_i}{a_{i2}}, \quad (34)$$

where a_{i1} is the item discrimination parameter for item i for dimension 1, a_{i2} is for dimension 2, θ_{j1} is the ability parameter for examinee j for dimension 1, and θ_{j2} is the ability parameter for dimension 2. If item 2 is denoted by a prime ('), then the lines of difficulty for items 1 and 2 are parallel only if

$$\frac{a_{11}}{a_{12}} = \frac{a'_{11}}{a'_{12}}. \quad (35)$$

If all items meet the condition set out in (35), then they can be ordered by difficulty, by simply ordering them by their d-parameters.

The ordering of items on difficulty implies that there is some underlying variable being measured that has some correspondence to the criterion used for the ordering. In this case there is some composite of the θ s which corresponds to the difficulty continuum formed by the items having parallel lines of difficulty. The composite is determined by the orientation of the lines of difficulty.

The extension of item discrimination to the multidimensional case is even more complex than the extension of item difficulty. Unlike difficulty, the concept of item discrimination in the multidimensional case includes a consideration of direction--the angles indicating the direction do not fall

out of the equations. Although the slope of the IRS shown in Figure 2 is constant all along the the line of difficulty for a given direction, it varies with different directions.

The need to consider direction has important implications for both test construction and test analysis. It is not enough in test construction, for instance, to merely select the item with the highest discrimination from among the available items. One item is uniformly more discriminating than a second item only if the slope of its IRS at the points of inflection is greater than the slope of the IRS for the second item for all directions. If item 1 has the higher a -value on one dimension, but a lower a -value on another dimension, there may be directions for which the slope of the IRS at the points of inflection will be greater for item 2. For example, consider the case where item 1 has discrimination parameters $\underline{a} = (1.0, 0.5)$ and item 2 has discrimination parameters $\underline{a} = (0.5, 1.0)$. When ϕ in (10) is 30 degrees, the slope of the IRS at the points of inflection is 0.279 for item 1 and 0.233 for item 2. When ϕ is 60 degrees, the slope for item 1 is 0.233, while the slope for item 2 is 0.279. At $\phi = 45$ degrees, both items have a slope of 0.265 at the points of inflection.

It seems to follow from the above discussion and example that, in interpreting item discrimination in the multidimensional case, the particular composite of abilities of interest must be considered. The composite might be specified a priori, as in test construction, or discovered by post administration analyses.

Sufficient Statistics

The notion of a sufficient statistic is not a simple one to grasp. Essentially, a statistic t is a sufficient statistic for the parameter θ if it contains all the information in the sample data about θ . For example, the number-correct score for an item provides all the information in the response data about the d -parameter. For the a -parameter for a particular dimension, a sufficient statistic is provided by a weighted sum of the item responses. The response of each examinee to the item of interest is weighted by the examinee's ability on the dimension of interest. Thus, a correct response to an item by an examinee of high ability ($\theta > 0.0$) adds to the value of the statistic, while a correct response by an examinee of low ability ($\theta < 0.0$) decreases the value.

For ability, a sufficient statistic is provided by a weighted sum of an examinee's responses to all the items. The weighting factor is the discrimination parameter for the dimension of interest. Thus, a correct response to a highly discriminating item adds more to the statistic than a correct response to an item of low discriminating power.

Although the availability of sufficient statistics for the parameters of the M2PL model is important from an estimation standpoint, it should be pointed out that, with the exception of the d -parameter, the sufficient statistics described above are not observable. While the number-correct score of an item can be observed, the a -parameter of an item, and thus the sum of item responses weighted by discrimination parameters, is not observable. This complicates estimation somewhat by requiring that provisional estimates of some parameters be provided during the estimation of the remaining parameters. Solutions, then, are obtained by a series of approximations by

varying from one step to the next which parameters are estimated. In each step the provisional estimates for the parameters not being estimated are the most recent estimates of those parameters.

Information Function

Item information in the multidimensional case is like item discrimination in that the information yielded by an item for a particular θ varies with the direction of travel. This has important implications for such applications as adaptive testing, in which items may be selected for administration on the basis of item information. As was the case with item discrimination, the interpretation and use of item information requires the consideration of the particular composite of abilities which is of interest.

Maximum Likelihood Estimation

Estimation of the parameters of the M2PL model is surprisingly straightforward. Implementation of the procedure described earlier in this report is not particularly difficult. However, it is rather expensive.

One serious limitation of the procedure described is that there is no way to determine in advance how many dimensions should be included. The procedure is too expensive to allow successive runs for an increasing number of dimensions until a satisfactory solution is obtained. It is clear that, if the M2PL model is to be used, more work is needed in this area.

More work also needs to be done to determine sample size requirements for estimation. Some guidelines are needed for determining the maximum number of items and subjects required for good estimation.

Summary

Item response theory has become an increasingly popular area for research and application in recent years. Areas where item response theory has been applied include test scoring (Woodcock, 1974), criterion-referenced measurement (Hambleton, Swaminathan, Cook, Eignor, and Gifford, 1978), test equating (Marco, 1977; Rentz and Bashaw, 1977), adaptive testing (McKinley and Reckase, 1980), and mastery testing (Patience and Reckase, 1978). While many of these applications have been successful, one unsolved problem is repeatedly encountered--most IRT models assume unidimensionality. As a result, applications of these models have been limited to areas in which the tests used measure predominantly one factor (or can be sorted into subtests which measure predominantly one factor). When the assumption of unidimensionality is not met, most IRT models are inappropriate.

The purpose of this report is to present an IRT model that does not require unidimensional tests. With such a model the great power of item response theory as a measurement tool can be applied for many of the purposes for which unidimensional models are employed, without the limitation on what kinds of tests are involved (i.e., the dimensionality of the tests). Of course, much more work is needed before the model can be employed in real testing situations. Procedures for the use of the model for different

applications must be worked out in greater detail, and limitations on the practicality of the estimation procedures must be overcome. The information provided in this report provides a firm foundation for future work in these areas.

REFERENCES

- Birnbaum, A. Some latent trait models and their use in inferring an examinee's ability. In F.M. Lord and M.R. Novick, Statistical theories of mental test scores. Reading, MA: Addison-Wesley, 1968.
- Hambleton, R.K., Swaminathan, H., Cook, L.L., Eignor, D.R., and Gifford, J.A. Developments in latent trait theory, models, technical issues, and applications. Review of Educational Research, 1978, 48, 467-510.
- Kaplan, W. Advanced calculus. Reading, MA: Addison-Wesley, 1952.
- Lord, F.M. and Novick, M.R. Statistical theories of mental test scores. Reading, MA: Addison-Wesley, 1968.
- Marco, G.L. Item characteristic curve solutions to three intractable testing problems. Journal of Educational Measurement, 1977, 14, 139-160.
- McKinley, R.L. and Reckase, M.D. MAXLOG: A computer program for the estimation of the parameters of a multidimensional logistic model. Behavior Research Methods and Instrumentation, 1983, 15, 389-390.
- McKinley, R.L. and Reckase, M.D. The use of the general Rasch model with multidimensional item response data (Research Report ONR82-1). Iowa City, IA: The American College Testing Program, August 1982.
- McKinley, R.L. and Reckase, M.D. A successful application of latent trait theory to tailored achievement testing (Research Report 80-1). Columbia, MO: University of Missouri, Department of Educational Psychology, February 1980.
- Patience, W.M. and Reckase, M.D. Self-paced versus paced evaluation utilizing computerized tailored testing. Paper presented at the annual meeting of the National Council on Measurement in Education, Toronto, 1978.
- Rentz, R.R. and Bashaw, W.L. The National Reference Scale for Reading: An application of the Rasch model. Journal of Educational Measurement, 1977, 14, 161-180.
- Woodcock, R.W. Woodcock Reading Mastery Test. Circle Pines, MN: American Guidance Service, 1974.

Navy

- 1 Dr. Ed Alken
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Dr. Arthur Bachrach
Environmental Stress Program Center
Naval Medical Research Institute
Bethesda, MD 20714
- 1 Dr. Meryl S. Baker
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Liaison Scientist
Office of Naval Research
Branch Office, London
Box 19
FPO New York, NY 09511
- 1 Lt. Alexander Bory
Applied Psychology
Measurement Division
NAVIRL
NAS Pensacola, FL 32508
- 1 Dr. Robert Breux
NAVERAQUUPCEN
Code N-075R
Orlando, FL 32811
- 1 Dr. Robert Carroll
NAVOP 115
Washington, DC 20370
- 1 Chief of Naval Education and Training
Liaison Office
Air Force Human Resource Laboratory
Operations Training Division
WILLIAMS AFB, AZ 85224
- 1 Dr. Stanley Collyer
Office of Naval Technology
300 N. Quincy Street
Arlington, VA 22217
- 1 CDR Mike Curran
Office of Naval Research
300 N. Quincy St.
Code 270
Arlington, VA 22217
- 1 Dr. Doug Davis
ONRC
Pensacola, FL

Navy

- 1 Dr. Tom Duffy
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Mike Dirmeyer
Instructional Program Development
Building 90
NET-PDCD
Grant Lakes NTC, IL 60089
- 1 Dr. Richard Elster
Department of Administrative Sciences
Naval Postgraduate School
Monterey, CA 91940
- 1 DR. PAT FEDERICO
Code P11
NPRDC
San Diego, CA 92152
- 1 Dr. Cathy Fernandez
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Dr. Jim Hollan
Code 14
Navy Personnel R & D Center
San Diego, CA 92152
- 1 Dr. Ed Hutchins
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Dr. Norman J. Kerr
Chief of Naval Technical Training
Naval Air Station Memphis (75)
Memphis, TN 38154
- 1 Dr. Leonard Kroeker
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Dr. William L. Miloy (02)
Chief of Naval Education and Training
Naval Air Station
Pensacola, FL 32508
- 1 Dr. James McBride
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Dr. William Montague
NPRDC Code 13
San Diego, CA 92152

Navy

- 1 Bill Nordbrock
1032 Fairlawn Ave.
Libertyville, IL 60048
- 1 Library, Code P201L
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Technical Director
Navy Personnel R&D Center
San Diego, CA 92152
- 6 Personnel & Training Research Group
Code 442PF
Office of Naval Research
Arlington, VA 22217
- 1 Special Asst. for Education and
Training (OP-01E)
Rm. 2705 Arlington Annex
Washington, DC 20370
- 1 LT Frank C. Potho, MSC, USN (Ph.D)
CNET (N-432)
NAS
Pensacola, FL 32508
- 1 Dr. Bernard Rimland (OIC)
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Dr. Carl Ross
CNET-PDCD
Building 90
Great Lakes NTC, IL 60038
- 1 Dr. Robert G. Smith
Office of Chief of Naval Operations
OP-98/H
Washington, DC 20350
- 1 Dr. Alfred F. Smode, Director
Training Analysis & Evaluation Group
Dept. of the Navy
Orlando, FL 32813
- 1 Dr. Richard Sorenson
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Dr. Frederick Steinhilber
CVN - OP115
Navy Annex
Arlington, VA 20370

Navy

- 1 Mr. Brad Symson
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Dr. Frank Vicino
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Dr. Edward Wigman
Office of Naval Research (Code 411SSP)
811 North Quincy Street
Arlington, VA 22217
- 1 Dr. Ronald Wiltzmin
Naval Postgraduate School
Department of Administrative
Sciences
Monterey, CA 93940
- 1 Dr. Douglas Witzel
Code 12
Navy Personnel R&D Center
San Diego, CA 92152
- 1 DR. MARTIN F. WISKOFF
NAVY PERSONNEL R&D CENTER
SAN DIEGO, CA 92152
- 1 Mr John H. Wolfe
Navy Personnel R&D Center
San Diego, CA 92152
- 1 Dr. Wallace Wulfeck, III
Navy Personnel R&D Center
San Diego, CA 92152

Marine Corps

- 1 H. William Greenup
Education Advisor (E031)
Education Center, MCEC
Quantico, VA 22134
- 1 Director, Office of Manpower Utilization
HQ, Marine Corps (MPU)
BCH, Bldg. 2000
Quantico, VA 22134
- 1 Headquarters, U. S. Marine Corps
Code MPI-20
Washington, DC 20380
- 1 Special Assistant for Marine
Corps Matters
Code 1004
Office of Naval Research
800 N. Quincy St.
Arlington, VA 22217
- 1 DR. A.L. SLAFKOSKY
SCIENTIFIC ADVISOR (CODE RD-1)
HQ, U.S. MARINE CORPS
WASHINGTON, DC 20380
- 1 Major Frank Yohannin, USMC
Headquarters, Marine Corps
(Code MPI-20)
Washington, DC 20380

Army

- 1 Technical Director
U. S. Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333
- 1 Mr. James Baker
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333
- 1 Dr. Kent Eiton
Army Research Institute
5001 Eisenhower Blvd.
Alexandria, VA 22333
- 1 Dr. Beatrice J. Furr
U. S. Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333
- 1 Dr. Myron Fischl
U.S. Army Research Institute for the
Social and Behavioral Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333
- 1 Dr. Milton S. Kitz
Training Technical Area
U.S. Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333
- 1 Dr. Harold F. O'Neill, Jr.
Director, Training Research Lab
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333
- 1 Commander, U.S. Army Research Institute
for the Behavioral & Social Sciences
ATTN: PERI-BR (Dr. Judith Orsano)
5001 Eisenhower Avenue
Alexandria, VA 22333
- 1 Joseph Psotka, Ph.D.
ATTN: PERI-IC
Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333

Army

- 1 Mr. Robert Ross
U.S. Army Research Institute for the
Social and Behavioral Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333
- 1 Dr. Robert Sasmor
U. S. Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333
- 1 Dr. Joyce Shiells
Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333
- 1 Dr. Hilda Wing
Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333
- 1 Dr. Robert Wisher
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Air Force

- 1 Air Force Human Resources Lab
AFHRL/MPD
Brooks AFB, TX 78235
- 1 Technical Documents Center
Air Force Human Resources Laboratory
WPAFB, OH 45433
- 1 U.S. Air Force Office of Scientific
Research
Life Sciences Directorate, NL
Bolling Air Force Base
Washington, DC 20332
- 1 Air University Library
AJL/LSE 76/443
Maxwell AFB, AL 36112
- 1 Dr. Earl A. Allread
H), AFHRL (AFSC)
Brooks AFB, TX 78235
- 1 Mr. Raymond E. Cristof
AFHRL/MOE
Brooks AFB, TX 78235
- 1 Dr. Alfred R. Frogly
AFOSR/NL
Bolling AFB, DC 20332
- 1 Dr. Genevieve Haddad
Program Manager
Life Sciences Directorate
AFOSR
Bolling AFB, DC 20332
- 1 Dr. T. M. Longridge
AFHRL/OTE
Williams AFB, AZ 85224
- 1 Mr. Randolph Park
AFHRL/MOAN
Brooks AFB, TX 78235
- 1 Dr. Roger Pennell
Air Force Human Resources Laboratory
Lowry AFB, CO 80230
- 1 Dr. Malcolm Roe
AFHRL/MP
Brooks AFB, TX 78235

Air Force

- 1 3700 TCHIW/TTCWR
2Lt Tallarigo
Sheppard AFB, TX 76311
- 1 Lt. Col James E. Watson
HQ USAF/MPXOA
The Pentagon
Washington, DC 20330
- 1 Major John Walsh
AFMPC
Randolph AFB, TX
- 1 Dr. Joseph Yisitsuke
AFHRL/LRF
Lowry AFB, CO 80230

Department of Defense

- 12 Defense Technical Information Center
Cameron Station, Bldg 5
Alexandria, VA 22314
Attn: TC
- 1 Dr. Craig L. Fields
Advanced Research Projects Agency
1400 Wilson Blvd.
Arlington, VA 22209
- 1 Jerry Lohaus
HQ AFPC
Attn: MEPCF-P
Fort Sheridan, IL 60017
- 1 Military Assistant for Training and
Personnel Technology
Office of the Under Secretary of Defense
for Research & Engineering
Room 3D129, The Pentagon
Washington, DC 20301
- 1 Dr. Wayne Sellman
Office of the Assistant Secretary
of Defense (MRA & L)
28269 The Pentagon
Washington, DC 20301
- 1 Major Jack Thorpe
DARPA
1400 Wilson Blvd.
Arlington, VA 22209

Civilian Agencies

- 1 Dr. Susan Chipman
Learning and Development
National Institute of Education
1200 19th Street NW
Washington, DC 20203
- 1 Dr. Vern W. Urry
Personnel RSD Center
Office of Personnel Management
1900 E Street NW
Washington, DC 20415
- 1 Mr. Thomas A. Warm
U. S. Coast Guard Institute
P. O. Substation 18
Oklahoma City, OK 73169
- 1 Dr. Joseph L. Young, Director
Memory & Cognitive Processes
National Science Foundation
Washington, DC 20550

Private Sector

- 1 Dr. James Algina
University of Florida
Gainesville, FL 326
- 1 Dr. Erling B. Anderson
Department of Statistics
Stuttesgade 5
1455 Copenhagen
DENMARK
- 1 Psychological Research Unit
NBI-3-44 Attn: Librarian
Northbourne House
Turner Ave 2601
AUSTRALIA
- 1 Dr. Isaac Bajar
Educational Testing Service
Princeton, NJ 08540
- 1 Dr. Menucha Birenbaum
School of Education
Tel Aviv University
Tel Aviv, Ramat Aviv 69974
Israel
- 1 Dr. R. Darrell Bock
Department of Education
University of Chicago
Chicago, IL 60637
- 1 Dr. Robert Brennan
American College Testing Programs
P. O. Box 168
Iowa City, IA 52243
- 1 Dr. Ernest R. Cadotte
307 Stokely
University of Tennessee
Knoxville, TN 37916
- 1 Dr. John B. Carroll
409 Elliott Rd.
Chapel Hill, NC 27514
- 1 Dr. Norman Cliff
Dept. of Psychology
Univ. of So. California
University Park
Los Angeles, CA 90077

Private Sector

- 1 Dr. Hans Crombag
Education Research Center
University of Leyden
Boerhaavelaan 2
2334 EN Leyden
The NETHERLANDS
- 1 Dr. Dittpradit Divgi
Syracuse University
Department of Psychology
Syracuse, NE 33210
- 1 Dr. Fritz Draggow
Department of Psychology
University of Illinois
603 E. Daniel St.
Champaign, IL 61820
- 1 Dr. Susan Emberton
PSYCHOLOGY DEPARTMENT
UNIVERSITY OF KANSAS
Lawrence, KS 66045
- 1 ERIC Facility-Acquisitions
4833 Rugby Avenue
Bethesda, MD 20714
- 1 Dr. Benjamin A. Fairbank, Jr.
McFinn-Gray & Associates, Inc.
5425 Callaghan
Suite 225
San Antonio, TX 78228
- 1 Dr. Leonard Feldt
Lindquist Center for Measurement
University of Iowa
Iowa City, IA 52242
- 1 Dr. Richard L. Ferguson
The American College Testing Program
P.O. Box 168
Iowa City, IA 52240
- 1 Univ. Prof. Dr. Gerhard Fischer
Liebiggasse 5/3
A 1010 Vienna
AUSTRIA
- 1 Professor Donald Fitzgerald
University of New England
Armidale, New South Wales 2351
AUSTRALIA

Private Sector

- 1 Dr. Dexter Fletcher
WICAT Research Institute
1875 S. State St.
Orem, UT 22333
- 1 Dr. Janice Gifford
University of Massachusetts
School of Education
Amherst, MA 01002
- 1 Dr. Robert Glaser
Learning Research & Development Center
University of Pittsburgh
3939 O'Hara Street
PITTSBURGH, PA 15260
- 1 Dr. Bert Green
Johns Hopkins University
Department of Psychology
Charles & 34th Street
Baltimore, MD 21218
- 1 Dr. Ron Hambleton
School of Education
University of Massachusetts
Amherst, MA 01002
- 1 Dr. Delwyn Harnisch
University of Illinois
242h Education
Urbana, IL 61801
- 1 Dr. Paul Horst
677 G Street, #184
Chula Vista, CA 90010
- 1 Dr. Lloyd Humphreys
Department of Psychology
University of Illinois
603 East Daniel Street
Champaign, IL 61820
- 1 Dr. Jack Hunter
2122 Coolidge St.
Lansing, MI 48906
- 1 Dr. Huynh Huynh
College of Education
University of South Carolina
Columbia, SC 29208

Private Sector

- 1 Dr. Douglas H. Jones
Advanced Statistical Technologies
Corporation
10 Trafalgar Court

Lawrenceville, NJ 08148
- 1 Professor John A. Kents
Department of Psychology
The University of Newcastle
N.S.W. 2108
AUSTRALIA
- 1 Dr. William Koch
University of Texas-Austin
Measurement and Evaluation Center
Austin, TX 78703
- 1 Dr. Alan Lesgold
Learning R&D Center
University of Pittsburgh
1939 O'Hara Street
Pittsburgh, PA 15260
- 1 Dr. Michael Levine
Department of Educational Psychology
210 Education Bldg.
University of Illinois
Champaign, IL 61801
- 1 Dr. Charles Lewis
Faculteit Sociale Wetenschappen
Rijksuniversiteit Groningen
Oude Boteringestraat 23
9712GG Groningen
Netherlands
- 1 Dr. Robert Linn
College of Education
University of Illinois
Urbana, IL 61801
- 1 Mr. Phillip Livingston
Systems and Applied Sciences Corporation
6911 Kentilworth Avenue
Riverdale, MD 20840
- 1 Dr. Robert Lockman
Center for Naval Analysis
200 North Braggard St.
Alexandria, VA 22311

Private Sector

- 1 Dr. Frederic M. Lord
Educational Testing Service
Princeton, NJ 08541
- 1 Dr. James Lonsden
Department of Psychology
University of Western Australia
Nedlands W.A. 6009
AUSTRALIA
- 1 Dr. Gary Marco
Stop 31-E
Educational Testing Service
Princeton, NJ 08541
- 1 Dr. Scott Maxwell
Department of Psychology
University of Notre Dame
Notre Dame, IN 46556
- 1 Dr. Samuel T. Mayo
Loyola University of Chicago
920 North Michigan Avenue
Chicago, IL 60611
- 1 Mr. Robert McKinley
American College Testing Programs
P.O. Box 168
Iowa City, IA 52243
- 1 Dr. Barbara Means
Human Resources Research Organization
100 North Washington
Alexandria, VA 22314
- 1 Dr. Robert Mislevy
711 Illinois Street
Geneva, IL 60134
- 1 Dr. Allen Munro
Behavioral Technology Laboratories
1845 Elena Ave., Fourth Floor
Redondo Beach, CA 90277
- 1 Dr. W. Alan Nieuwlander
University of Oklahoma
Department of Psychology
Oklahoma City, OK 73059
- 1 Dr. Melvin R. Novick
356 Lindquist Center for Measurement
University of Iowa
Iowa City, IA 52242

Private Sector

- 1 Dr. James Olson
WICAT, Inc.
1875 South State Street
Orem, UT 84057
- 1 Wayne M. Patience
American Council on Education
GED Testing Service, Suite 20
One Dupont Circle, NW
Washington, DC 20036
- 1 Dr. James A. Paulson
Portland State University
P.O. Box 751
Portland, OR 97207
- 1 Dr. Mark D. Rockabe
ACF
P. O. Box 168
Iowa City, IA 52241
- 1 Dr. Thomas Reynolds
University of Texas-Dallas
Marketing Department
P. O. Box 688
Richardson, TX 75080
- 1 Dr. Lawrence Ruiner
403 Elm Avenue
Takoma Park, MD 20912
- 1 Dr. J. Ryan
Department of Education
University of South Carolina
Columbia, SC 29208
- 1 PROF. FUMIKO SAMEJIMA
DEPT. OF PSYCHOLOGY
UNIVERSITY OF TENNESSEE
KNOXVILLE, TN 37916
- 1 Frank L. Schmidt
Department of Psychology
Bldg. GG
George Washington University
Washington, DC 20052
- 1 Dr. Walter Schneider
Psychology Department
603 E. Daniel
Champaign, IL 61820

Private Sector

- 1 Lowell Schorr
Psychological & Quantitative
Foundations
College of Education
University of Iowa
Iowa City, IA 52242
- 1 DR. ROBERT J. SEIDEL
INSTRUCTIONAL TECHNOLOGY GROUP
HARRIS
110 N. WASHINGTON ST.
ALEXANDRIA, VA 22314
- 1 Dr. Kizuo Shigenishi
University of Tohoku
Department of Educational Psychology
Kawauchi, Sendai 980
JAPAN
- 1 Dr. Edwin Shirley
Department of Psychology
University of Central Florida
Orlando, FL 32816
- 1 Dr. William Sims
Center for Naval Analysis
200 North Beauregard Street
Alexandria, VA 22311
- 1 Dr. H. Wallace Smithko
Program Director
Manpower Research and Advisory Services
Smithsonian Institution
801 North Pitt Street
Alexandria, VA 22314
- 1 Dr. Robert Sternberg
Dept. of Psychology
Yale University
Box 11A, Yale Station
New Haven, CT 06520
- 1 Dr. Peter Stoloff
Center for Naval Analysis
200 North Beauregard Street
Alexandria, VA 22311
- 1 Dr. William Stout
University of Illinois
Department of Mathematics
Urbana, IL 61801

Private Sector

- 1 Dr. Hariharan Swaminathan
Laboratory of Psychometric and
Evaluation Research
School of Education
University of Massachusetts
Amherst, MA 01003
- 1 Dr. Kikumi Tatsuka
Computer Based Education Research Lab
252 Engineering Research Laboratory
Urbana, IL 61801
- 1 Dr. Maurice Tatsuka
220 Education Bldg
1310 S. Sixth St.
Champaign, IL 61820
- 1 Dr. David Thissen
Department of Psychology
University of Kansas
Lawrence, KS 66044
- 1 Dr. Robert Tsutakawa
Department of Statistics
University of Missouri
Columbia, MO 65201
- 1 Dr. J. Uhlin
Uhlin Consultants
4258 Bonavita Drive
Encino, CA 91436
- 1 Dr. V. R. R. Uppuluri
Union Carbide Corporation
Nuclear Division
P. O. Box Y
Oak Ridge, TN 37830
- 1 Dr. David Vale
Assessment Systems Corporation
2233 University Avenue
Suite 310
St. Paul, MN 55114
- 1 Dr. Howard Weiner
Division of Psychological Studies
Educational Testing Service
Princeton, NJ 08540
- 1 Dr. Michael T. Waller
Department of Educational Psychology
University of Wisconsin--Milwaukee
Milwaukee, WI 53201

Private Sector

- 1 Dr. Brian Waters
HumRRO
300 North Washington
Alexandria, VA 22314
- 1 Dr. David J. Weiss
N660 Elliott Hall
University of Minnesota
75 E. River Road
Minneapolis, MN 55455
- 1 Dr. Raul R. Wilcox
University of Southern California
Department of Psychology
Los Angeles, CA 90007
- 1 Wolfgang Wildgrube
Streitkräfteamt
Box 20 50 01
D-5100 Bonn 2
WEST GERMANY
- 1 Dr. Bruce Williams
Department of Educational Psychology
University of Illinois
Urbana, IL 61801
- 1 Dr. Wendy Yen
CTB/McGraw Hill
Del Monte Research Park
Monterey, CA 93940

END

FILMED

3-84

DTIC